



SAFETY HEALTH AND
ENVIRONMENTAL AFFAIRS
JUN 24 1991

MATERIAL SAFETY DATA SHEET

PRODUCT

NALCO 7343 TAB

Emergency Telephone Number

Medical (708) 920-1510 (24 hours)

SECTION 1 PRODUCT IDENTIFICATION

TRADE NAME: NALCO 7343 TAB

DESCRIPTION: Bromochlorodimethylhydantoin

NFPA 704M/HMIS RATING: 3/3 HEALTH 1/1 FLAMMABILITY 0/0 REACTIVITY 0 OTHER
0=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme

SECTION 2 HAZARDOUS INGREDIENTS

Our hazard evaluation has identified the following chemical ingredient(s) as hazardous under OSHA's Hazard Communication Rule, 29 CFR 1910.1200. Consult Section 14 for the nature of the hazard(s).

| INGREDIENT(S) | CAS # | APPROX. % |
|--|------------|-----------|
| 1-bromo-3-chloro-5,5-dimethylhydantoin | 16079-88-2 | 92.5 |

SECTION 3 PRECAUTIONARY LABEL INFORMATION

DANGER: Corrosive. Causes eye and skin damage. May be harmful or fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse. Wash thoroughly with soap and water after handling.

SECTION 4 FIRST AID INFORMATION

EYES: Immediately flush for at least 15 minutes while holding eyelids open. Call a physician at once.

SKIN: Brush off and immediately flush with water for at least 15 minutes. Call a physician at once.

INGESTION: Drink promptly a large quantity of water. Do not induce vomiting. Avoid alcohol. Call a physician at once.

INHALATION: Remove to fresh air. Treat symptoms. Call a physician at once.

NOTE TO PHYSICIAN: No specific antidote is known. Based on the individual reactions of the patient, the physician's judgment should be used to control symptoms and clinical condition.

CAUTION: If unconscious, having trouble breathing or in convulsions, do not induce vomiting or give water.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory



MATERIAL SAFETY DATA SHEET

PRODUCT

NALCO 7343 TAB

Emergency Telephone Number

Medical (708) 920-1510 (24 hours)

SECTION 4 FIRST AID INFORMATION

(CONTINUED)

depression and convulsions may be needed.

SECTION 5 HEALTH EFFECTS INFORMATION

PRIMARY ROUTE(S) OF EXPOSURE: Eye, Skin, Inhalation

EYE CONTACT: Corrosive to the eyes with possible permanent damage depending on the length of exposure and on the first aid action given.

SKIN CONTACT: Causes burns if skin is wet.

INGESTION: Can be fatal.

INHALATION: Irritating to nose and throat.

SYMPTOMS OF EXPOSURE: A review of available data does not identify any symptoms from exposure not previously mentioned.

AGGRAVATION OF EXISTING CONDITIONS: A review of available data does not identify any worsening of existing conditions.

SECTION 6 TOXICOLOGY INFORMATION

ACUTE TOXICITY STUDIES: Acute toxicity studies have been conducted on this product along with one of its decomposition products. The results are shown below.

ACUTE ORAL TOXICITY (ALBINO RATS):

1-bromo-3-chloro-5,5-dimethylhydantoin LD50 = 1.39 g/kg

5,5-dimethylhydantoin LD50 = Greater than 5,000 mg/kg

ACUTE DERMAL TOXICITY (ALBINO RABBITS):

1-bromo-3-chloro-5,5-dimethylhydantoin LD50 = Greater than 2.0 g/kg

5,5-dimethylhydantoin LD50 = Greater than 3,000 mg/kg

PRIMARY SKIN IRRITATION TEST (ALBINO RABBITS):

SKIN IRRITATION INDEX DRAIZE RATING: 6.1/8.0 Corrosive -

1-bromo-3-chloro-5,5-dimethylhydantoin

COMMENTS: Prolonged or repeated skin contact produced severe redness and superficial, focal necrosis with the development of excessive exfoliation due to the corrosive action of the compound.

PRIMARY SKIN IRRITATION TEST (ALBINO RABBITS):

SKIN IRRITATION INDEX DRAIZE RATING: 0.8/8.0 Slightly irritating -

5,5-dimethylhydantoin



MATERIAL SAFETY DATA SHEET

PRODUCT

NALCO 7343 TAB

Emergency Telephone Number

Medical (708) 920-1510 (24 hours)

SECTION 6 TOXICOLOGY INFORMATION

(CONTINUED)

COMMENTS: The application of 500 mg of 5,5-dimethylhydantoin produced slight redness and swelling after 24 hours of occluded contact with rabbit skin. All application sites appeared normal within 72 hours.

PRIMARY EYE IRRITATION TEST (ALBINO RABBITS):

1-bromo-3-chloro-5,5-dimethylhydantoin

COMMENTS: Eye contact with the powdered material produced severe persistent conjunctival irritation with slowly developing corneal involvement. Immediate rinsing of the eyes with water decreased ocular injury. Diluted solutions (less than 1,000 ppm) produced essentially no irritation.

PRIMARY EYE IRRITATION TEST (ALBINO RABBITS):

EYE IRRITATION INDEX DRAIZE RATING: 12.8/110.0 unrinsed, 20.0/110.0 rinsed
Mild irritant - 5,5-dimethylhydantoin

COMMENTS: Instillation of 100 mg produced moderate redness and swelling of the conjunctiva after one hour. Small focal corneal opacities and slight iritis were observed in one of the test rabbits. Irritation decreased over the following 48 hours and had completely resolved by the end of 7 days. Rinsing the affected eyes with water 30 seconds after contact with the test material resulted in only a slight reduction in irritation.

SECTION 7 PHYSICAL AND CHEMICAL PROPERTIES

| | | |
|------------------------------------|---------------|---------------|
| COLOR: White | FORM: Tablets | ODOR: Halogen |
| SOLUBILITY IN WATER: Completely | | |
| MELTING POINT: 293 - 302 Degrees F | | ASTM D-2117 |
| FLASH POINT: Not applicable | | |

NOTE: These physical properties are typical values for this product.

SECTION 8 FIRE AND EXPLOSION INFORMATION

FLASH POINT: Not applicable

EXTINGUISHING MEDIA: Water. Do not use ammonium phosphate fire extinguishers.

UNUSUAL FIRE AND EXPLOSION HAZARD: Will evolve hydrogen bromide or bromine under fire conditions.



MATERIAL SAFETY DATA SHEET

PRODUCT

NALCO 7343 TAB

Emergency Telephone Number

Medical (708) 920-1510 (24 hours)

SECTION 9 REACTIVITY INFORMATION

INCOMPATIBILITY: Avoid contact with organic materials. Mix only with water. Use clean, dry utensils and equipment. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire and explosion. Contamination with moisture, organic matter or other chemicals may start a chemical reaction with generation of heat, hazardous gases and possible fire and explosion. In cases of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well ventilated area. If necessary, flood with large volumes of water.

THERMAL DECOMPOSITION PRODUCTS: In the event of combustion CO, CO₂, HCl, HBr, Br, Cl may be formed. Do not breathe smoke or fumes. Wear suitable protective equipment.

SECTION 10 PERSONAL PROTECTION EQUIPMENT

RESPIRATORY PROTECTION: If it is possible to generate significant levels of dust, a NIOSH approved or equivalent self-contained or supplied air respirator is recommended.

VENTILATION: If significant dusting occurs, local exhaust ventilation is recommended.

PROTECTIVE EQUIPMENT: Use impermeable gloves and chemical splash goggles when attaching feeding equipment, doing maintenance or handling product.

The availability of an eye wash fountain and safety shower is recommended.

If clothing is contaminated, remove clothing and thoroughly wash the affected area. Launder contaminated clothing before reuse.

SECTION 11 SPILL AND DISPOSAL INFORMATION

IN CASE OF TRANSPORTATION ACCIDENTS, CALL THE FOLLOWING 24-HOUR TELEPHONE NUMBER (708-920-1510)

SPILL CONTROL AND RECOVERY:

Solid spills: Sweep or vacuum up and reclaim into recovery or salvage drums for disposal. Wear the protective equipment specified in Section 10. Refer to CERCLA in Section 14.

This product is toxic to fish. It should not be directly discharged into lakes, ponds, streams, waterways or public water supplies.



MATERIAL SAFETY DATA SHEET

PRODUCT

NALCO 7343 TAB

Emergency Telephone Number

Medical (708) 920-1510 (24 hours)

SECTION 11 SPILL AND DISPOSAL INFORMATION

(CONTINUED)

DISPOSAL: If this product becomes a waste, it meets the criteria of a hazardous waste as defined under the Resources Conservation and Recovery Act (RCRA) 40 CFR 261. Hazardous Waste D001.

As a hazardous solid waste, it must be disposed of in a licensed Hazardous Waste Treatment, Storage and Disposal facility in accordance with local, state, and federal regulations.

SECTION 12 ENVIRONMENTAL INFORMATION

AQUATIC DATA: Results below are based on the product.

96 hour static acute LC50 to Mysid Shrimp = 3.5 mg/L

96 hour no observed effect concentration is 0.56 mg/L based on no mortality or abnormal effects.

TOXICITY RATING: Highly toxic

96 hour static acute LC50 to Sheepshead Minnow = 5.4 mg/L

96 hour no observed effect concentration is 1.9 mg/L based on no mortality or abnormal effects.

TOXICITY RATING: Toxic

AQUATIC DATA: Results below are based on the active ingredient

96 hour static acute LC50 to Rainbow Trout = 0.87 mg/L

48 hour static acute LC50 to Daphnia = 0.47 mg/L

96 hour static acute LC50 to Fathead Minnow = 2.25 mg/L

96 hour static acute LC50 to Sheepshead Minnow = 20 mg/L

96 hour static acute LC50 to Grass Shrimp = 13 mg/L

96 hour static acute LC50 to American Oyster = Greater than 640 mg/L

AQUATIC DATA: Results below based on dehalogenated product
(5,5-dimethylhydantoin)

96 hour static acute LC50 to Rainbow Trout = 6,100 mg/L

48 hour static acute LC50 to Daphnia = 1,300 mg/L

96 hour static acute LC50 to Fathead Minnow = 8,100 mg/L

96 hour static acute LC50 to Sheepshead Minnow = 13,300 mg/L

96 hour static acute LC50 to Grass Shrimp = 12,000 mg/L



MATERIAL SAFETY DATA SHEET

PRODUCT

NALCO 7343 TAB

Emergency Telephone Number

Medical (708) 920-1510 (24 hours)

SECTION 12 ENVIRONMENTAL INFORMATION

(CONTINUED)

96 hour static acute LC50 to American Oyster = 14,200 mg/L

If released into the environment, see CERCLA in Section 14.

SECTION 13 TRANSPORTATION INFORMATION

DOT PROPER SHIPPING NAME/HAZARD CODE - OXIDIZING MATERIAL, N.O.S.

OXIDIZER UN 1479

CONTAINS

- HALOGENATED HYDANTOIN

SECTION 14 REGULATORY INFORMATION

The following regulations apply to this product.

FEDERAL REGULATIONS:

OSHA'S HAZARD COMMUNICATION RULE, 29 CFR 1910.1200:

Based on our hazard evaluation, the following ingredient in this product is hazardous and the reason is shown below.

1-bromo-3-chloro-5,5-dimethylhydantoin - Corrosive, oxidizer

Nuisance dust = TWA 10 mg/m3 (total dust) ACGIH/TLV

Nuisance dust = TWA 15 mg/m3 (total dust) OSHA/PEL
5 mg/m3 (respirable dust) OSHA/PEL

CERCLA/SUPERFUND, 40 CFR 117, 302:

Notification of spills of this product is not required.

SARA/SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986

(TITLE III) - SECTIONS 302, 311, 312 AND 313:

SECTION 302 - EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355):

This product does not contain ingredients listed in Appendix A and B as an Extremely Hazardous Substance.

SECTIONS 311 and 312 - MATERIAL SAFETY DATA SHEET REQUIREMENTS (40 CFR 370):

Our hazard evaluation has found this product to be hazardous. The product should be reported under the following EPA hazard categories:

XX Immediate (acute) health hazard

-- Delayed (chronic) health hazard

XX Fire hazard



MATERIAL SAFETY DATA SHEET

PRODUCT

NALCO 7343 TAB

Emergency Telephone Number

Medical (708) 920-1510 (24 hours)

SECTION 14 REGULATORY INFORMATION

(CONTINUED)

- Sudden release of pressure hazard
- Reactive hazard

SECTION 313 - LIST OF TOXIC CHEMICALS (40 CFR 372):

This product does not contain ingredients (at a level of 1% or greater) on the List of Toxic Chemicals.

TOXIC SUBSTANCES CONTROL ACT (TSCA):

This product is a biocide exempted under TSCA and regulated under FIFRA. The inerts are on the Inventory list.

FEDERAL INSECTICIDE, FUNGICIDE AND RODENTICIDE ACT (FIFRA):

EPA Reg. No. 5785-63-1706. This product is registered for use as a microorganism control chemical used in industrial recirculating and once-through cooling water tower systems. In all cases follow instructions on the product label.

RESOURCE CONSERVATION AND RECOVERY ACT (RCRA), 40 CFR 261 SUBPART C & D:
Consult Section 11 for RCRA classification.

FEDERAL WATER POLLUTION CONTROL ACT, CLEAN WATER ACT, 40 CFR 401.15
(formerly Sec. 307), 40 CFR 116 (formerly Sec. 311):
None of the ingredients are specifically listed.

CLEAN AIR ACT, 40 CFR 60, SECTION 111, 40 CFR 61, SECTION 112:
This product does not contain ingredients covered by the Clean Air Act.

STATE REGULATIONS:

CALIFORNIA PROPOSITION 65:

None of the chemicals on the current Proposition 65 list are known to be present in this product.

MICHIGAN CRITICAL MATERIALS:

This product does not contain ingredients listed on the Michigan Critical Materials Register.

STATE RIGHT TO KNOW LAWS:

This product does not contain ingredients listed by State Right To Know Laws.

SECTION 15 ADDITIONAL INFORMATION

None



MATERIAL SAFETY DATA SHEET

PRODUCT

NALCO 7343 TAB

Emergency Telephone Number

Medical (708) 920-1510 (24 hours)

SECTION 16 USER'S RESPONSIBILITY

This product material safety data sheet provides health and safety information. The product is to be used in applications consistent with our product literature. Individuals handling this product should be informed of the recommended safety precautions and should have access to this information. For any other uses, exposures should be evaluated so that appropriate handling practices and training programs can be established to ensure safe workplace operations. Please consult your local sales representative for any further information.

SECTION 17 BIBLIOGRAPHY

ANNUAL REPORT ON CARCINOGENS, U.S. Department of Health and Human Services, Public Health Service, PB 33-135855, 1983.

CASARETT AND DOULL'S TOXICOLOGY, THE BASIC SCIENCE OF POISONS, Doull, J., Klaassen, C. D., and Admur, M. O., eds., Macmillian Publishing Company, Inc., N. Y., 2nd edition, 1980.

CHEMICAL HAZARDS OF THE WORKPLACE, Proctor, N. H., and Hughes, J. P., eds., J. P. Lipincott Company, N.Y., 1981.

DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS, Sax, N. Irving, ed., Van Nostrand Reinhold Company, N.Y., 6th edition, 1984.

IARC MONOGRAPHS ON THE EVALUATION OF THE CARCINOGENIC RISK OF CHEMICALS TO MAN, Geneva: World Health Organization, International Agency for Research on Cancer, 1972-1977.

PATTY'S INDUSTRIAL HYGIENE AND TOXICOLOGY, Clayton, G. D., Clayton, F. E., eds., John Wiley and Sons, N. Y., 3rd edition, Vol. 2 A-C, 1981.

REGISTRY OF TOXIC EFFECTS ON CHEMICAL SUBSTANCES, U.S. Department of Health and Human Services, Public Health Service, Center for Disease Control, National Institute for Occupational Safety and Health, 1983 supplement of 1981-1982 edition, Vol. 1-3, OH, 1984.

Title 29 Code of Federal Regulations Part 1910, Subpart Z, Toxic and Hazardous Substances, Occupational Safety and Health Administration (OSHA).

THRESHOLD LIMIT VALUES FOR CHEMICAL SUBSTANCES AND PHYSICAL AGENTS IN THE WORKROOM ENVIRONMENT WITH INTENDED CHANGES, American Conference of Governmental Industrial Hygienists, OH.



MATERIAL SAFETY DATA SHEET

PRODUCT

NALCO 7343 TAB

Emergency Telephone Number

Medical (708) 920-1510 (24 hours)

SECTION 17 BIBLIOGRAPHY

(CONTINUED)

PREPARED BY: Ricky A. Stackhouse PhD., Toxicologist

DATE CHANGED: 12/18/90

DATE PRINTED: 01/25/91



MATERIAL SAFETY DATA SHEET

PRODUCT

Emergency Telephone Number

Medical (708) 920-1510 (24 hours)